





# LOCATIONS

# PEDIATRIC MEDS


## NORTHWEST PRIMARY CARE LOCATIONS



MILWAUKIE  
FAMILY PRACTICE  
3033 SE Monroe St.  
Milwaukie, OR 97222



SELLWOOD/  
MORELAND CLINIC  
6327 SE Milwaukie Ave.  
Portland, OR 97202



TALBERT CENTER  
FAMILY PRACTICE  
12360 SE Sunnyside Rd.  
Clackamas, OR 97015

For appointments and assistance, call  
503.659.4988.  
[nwpc.com](http://nwpc.com)



Northwest  
PRIMARY CARE

Care for every stage of your life



Northwest  
PRIMARY CARE

# Pediatric Doses for Common Over-the-Counter Medicines

MEDICATION (OVER-THE-COUNTER)	USAGE (GIVE FOR)	DOSAGE (HOW MUCH MEDICINE TO GIVE)	FREQUENCY (WHEN TO GIVE)	BABY ALERTS																											
ACETAMINOPHEN (TYLENOL)  160mg per teaspoon	Minor aches Minor pain Fever	<table border="1"> <tr><td>6-11 lbs</td><td>40 mg</td><td>1/4 teaspoon</td></tr> <tr><td>12-17 lbs</td><td>80 mg</td><td>1/2 teaspoon</td></tr> <tr><td>18-23 lbs</td><td>120 mg</td><td>3/4 teaspoon</td></tr> <tr><td>24-35 lbs</td><td>160 mg</td><td>1 teaspoon</td></tr> <tr><td>36-47 lbs</td><td>240 mg</td><td>1 1/2 teaspoons</td></tr> <tr><td>48-59 lbs</td><td>320 mg</td><td>2 teaspoons</td></tr> <tr><td>60-71 lbs</td><td>400 mg</td><td>2 1/2 teaspoons</td></tr> <tr><td>72-95 lbs</td><td>480 mg</td><td>3 teaspoons</td></tr> <tr><td>Over 96 lbs</td><td>640 mg</td><td>4 teaspoons</td></tr> </table> <p>Maximum of 5 doses a day</p>	6-11 lbs	40 mg	1/4 teaspoon	12-17 lbs	80 mg	1/2 teaspoon	18-23 lbs	120 mg	3/4 teaspoon	24-35 lbs	160 mg	1 teaspoon	36-47 lbs	240 mg	1 1/2 teaspoons	48-59 lbs	320 mg	2 teaspoons	60-71 lbs	400 mg	2 1/2 teaspoons	72-95 lbs	480 mg	3 teaspoons	Over 96 lbs	640 mg	4 teaspoons	Every 4 hours	<p>Babies who are 2 months of age or younger should be evaluated for any fever over 99.0 degrees axillary (under the arm-pit).</p> <p>If baby appears ill – tired or sluggish, has a rash or is not eating or drinking – they should be evaluated.</p>
6-11 lbs	40 mg	1/4 teaspoon																													
12-17 lbs	80 mg	1/2 teaspoon																													
18-23 lbs	120 mg	3/4 teaspoon																													
24-35 lbs	160 mg	1 teaspoon																													
36-47 lbs	240 mg	1 1/2 teaspoons																													
48-59 lbs	320 mg	2 teaspoons																													
60-71 lbs	400 mg	2 1/2 teaspoons																													
72-95 lbs	480 mg	3 teaspoons																													
Over 96 lbs	640 mg	4 teaspoons																													
IBUPROFEN (ADVIL OR MOTRIN)  100mg per teaspoon	Minor aches Minor pain Fever	<p>NOT RECOMMENDED FOR CHILDREN LESS THAN 6 MONTHS OLD</p> <table border="1"> <tr><td>12-17 lbs</td><td>50 mg</td><td>1/2 teaspoon</td></tr> <tr><td>18-23 lbs</td><td>75 mg</td><td>3/4 teaspoon</td></tr> <tr><td>24-35 lbs</td><td>100 mg</td><td>1 teaspoon</td></tr> <tr><td>36-47 lbs</td><td>150 mg</td><td>1 1/2 teaspoons</td></tr> <tr><td>48-59 lbs</td><td>200 mg</td><td>2 teaspoons</td></tr> <tr><td>60-71 lbs</td><td>250 mg</td><td>2 1/2 teaspoons</td></tr> <tr><td>72-95 lbs</td><td>300 mg</td><td>3 teaspoons</td></tr> </table> <p>JUNIOR STRENGTH ADVIL TABLETS 100mg size – Do Not Break</p> <table> <tr><td>48-71 lbs</td><td>200mg</td></tr> <tr><td>79-95 lbs</td><td>300mg</td></tr> </table>	12-17 lbs	50 mg	1/2 teaspoon	18-23 lbs	75 mg	3/4 teaspoon	24-35 lbs	100 mg	1 teaspoon	36-47 lbs	150 mg	1 1/2 teaspoons	48-59 lbs	200 mg	2 teaspoons	60-71 lbs	250 mg	2 1/2 teaspoons	72-95 lbs	300 mg	3 teaspoons	48-71 lbs	200mg	79-95 lbs	300mg	Every 6-8 hours	<p>Northwest Primary Care Appointments 503.659.4988</p>		
12-17 lbs	50 mg	1/2 teaspoon																													
18-23 lbs	75 mg	3/4 teaspoon																													
24-35 lbs	100 mg	1 teaspoon																													
36-47 lbs	150 mg	1 1/2 teaspoons																													
48-59 lbs	200 mg	2 teaspoons																													
60-71 lbs	250 mg	2 1/2 teaspoons																													
72-95 lbs	300 mg	3 teaspoons																													
48-71 lbs	200mg																														
79-95 lbs	300mg																														
DIPHENHYDRAMINE (BENADRYL)  12.5mg per teaspoon	Upper respiratory allergies Runny nose or sneezing due to common cold	<p>NOT RECOMMENDED FOR NEWBORN INFANTS</p> <p>2-6 years: 6.25mg (1/2 teaspoon per dose)</p> <p>6-12years: 12.5-25mg (1-2 teaspoons per dose)</p>	Every 4-6 hours	